

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Light Bond Filled Sealant with Fluoride

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Use of the substance/mixture : For Rx Only

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Manufacturer/Importer/Representative/User/Distributor:

Reliance Orthodontic Products, Inc.
1540 W. Thorndale Ave
Itasca, IL 60143 USA
T 630-773-4009, during normal business hours
regulatory@relianceorthodontics.com
www.RelianceOrthodontics.com

Australian Sponsor:

Emergo Australia, 201 Sussex St.
Darling Park, Tower II, Level 20
Sydney, NSW 2000 Australia
T +61 2 9006 1662

Switzerland Representative:

MedEnvoy Global BV
Leidschendam-Voorburg, Zug Branch Office
Gotthardstrasse 28, 6302 Zug, Switzerland
T +41 41 462 01 42

FDA Registration:

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012
/ Rules and Regulations
FDA Registration: 1420089

EC Representative:

Emergo Europe
Westervoortsedijk 60
6827 AT Arnhem
The Netherlands
T +31 70 345 8570

U.K. Person Responsible:

Emergo Consulting (UK) Limited
c/o Cr360 - UL International Compass House, Vision Park Histon
Cambridge CB24 9BZ
England, United Kingdom
T +44(0) 1223 772 671

1.4. Emergency telephone number

Emergency number : CHEMTREC - 24-Hour Hazmat Emergency Communications Center
Domestic: 1-800-424-9300 Outside the U.S.: 1-703-527-3887, collect calls accepted

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

| | |
|---|------|
| Acute toxicity (dermal), Category 4 | H312 |
| Skin corrosion/irritation, Category 2 | H315 |
| Serious eye damage/eye irritation, Category 2 | H319 |
| Skin sensitisation, Category 1 | H317 |
| Specific target organ toxicity - Single exposure, Category 3, Respiratory tract irritation | H335 |

Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.

Light Bond Filled Sealant with Fluoride

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS07

Signal word (CLP) :

Warning

Contains :

Triethylene Glycol Dimethacrylate ; Urethane Dimethacrylate; BisGMA; Tetrahydrofurfuryl Methacrylate; Fluorinated Methacrylate Monomer

Hazard statements (CLP) :

H312 - Harmful in contact with skin.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H335 - May cause respiratory irritation.

Precautionary statements (CLP) :

P261 - Avoid breathing fume, mist, vapours.

P264 - Wash hands thoroughly after handling.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P280 - Wear protective gloves, protective clothing, eye protection.

P302+P352 - IF ON SKIN: Wash with plenty of soap and water.

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312 - Call a POISON CENTER, doctor if you feel unwell.

P321 - Specific treatment (see supplemental first aid instruction on this label).

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P501 - Dispose of contents and container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation, a licensed hazardous-waste disposal contractor or collection site except for empty clean containers which can be disposed of as non-hazardous waste.

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

| Component | |
|---|---|
| Triethylene Glycol Dimethacrylate (109-16-0) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| Tetrahydrofurfuryl Methacrylate (2455-24-5) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| Ethoxylated Bis A Dimethacrylate (41637-38-1) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Light Bond Filled Sealant with Fluoride

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3.2. Mixtures

| Name | Product identifier | % | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|-----------------------------------|---|---------|--|
| Triethylene Glycol Dimethacrylate | CAS-No.: 109-16-0 EC-No.: 203-652-6 | 10 - 30 | Skin Sens. 1B, H317 |
| Urethane Dimethacrylate | CAS-No.: Proprietary | 10 - 30 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335 |
| Ethoxylated Bis A Dimethacrylate | CAS-No.: 41637-38-1 | 5 - 10 | Aquatic Chronic 4, H413 |
| Tetrahydrofurfuryl Methacrylate | CAS-No.: 2455-24-5 EC-No.: 219-529-5 | 5 - 10 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 |
| BisGMA | CAS-No.: 1565-94-2 EC-No.: 216-367-7 | 5 - 10 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 STOT SE 3, H335 |
| Fluorinated Methacrylate Monomer | CAS-No.: Proprietary | 1 - 5 | Acute Tox. 1 (Dermal), H310 Skin Corr. 1A, H314 |

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|---------------------------------------|---|
| First-aid measures general | : Call a poison center or a doctor if you feel unwell. |
| First-aid measures after inhalation | : Remove person to fresh air and keep comfortable for breathing. |
| First-aid measures after skin contact | : Wash skin with plenty of water. Take off contaminated clothing and wash it before reuse. If skin irritation or rash occurs: Get medical advice/attention. |
| First-aid measures after eye contact | : Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. |
| First-aid measures after ingestion | : Rinse mouth out with water. Call a poison center or a doctor if you feel unwell. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|-------------------------------------|--|
| Symptoms/effects after skin contact | : May cause an allergic skin reaction. Causes skin irritation. |
| Symptoms/effects after eye contact | : Eye irritation. |

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

Light Bond Filled Sealant with Fluoride

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid breathing fume, vapours. Avoid contact with skin, eyes and clothing.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material. Store away from other materials.
Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Avoid breathing fume, vapours. Wear personal protective equipment. Avoid contact with skin and eyes. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work.
Hygiene measures : Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool. Keep container closed when not in use.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

No additional information available

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

Light Bond Filled Sealant with Fluoride

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

Safety glasses

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing

Hand protection:

Protective gloves

8.2.2.3. Respiratory protection

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|-------------------|
| Physical state | : Liquid |
| Colour | : Pale Yellow. |
| Appearance | : Viscous Liquid. |
| Odour | : Acrylic. |
| Odour threshold | : Not available |
| Melting point | : Not applicable |
| Freezing point | : Not available |
| Boiling point | : Not available |
| Flammability | : Not applicable |
| Lower explosion limit | : Not available |
| Upper explosion limit | : Not available |
| Flash point | : Not available |
| Auto-ignition temperature | : Not available |
| Decomposition temperature | : Not available |
| pH | : Not available |
| Viscosity, kinematic | : Not available |
| Solubility | : Not available |
| Partition coefficient n-octanol/water (Log Kow) | : Not available |

Light Bond Filled Sealant with Fluoride

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| | |
|---------------------------------|------------------|
| Vapour pressure | : Not available |
| Vapour pressure at 50°C | : Not available |
| Density | : Not available |
| Relative density | : Not available |
| Relative vapour density at 20°C | : Not available |
| Particle characteristics | : Not applicable |

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions of use.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

| | |
|-----------------------------|---------------------------------|
| Acute toxicity (oral) | : Not classified |
| Acute toxicity (dermal) | : Harmful in contact with skin. |
| Acute toxicity (inhalation) | : Not classified |

| Light Bond Filled Sealant with Fluoride | |
|--|---|
| ATE CLP (dermal) | 1444.619 mg/kg bodyweight |
| Triethylene Glycol Dimethacrylate (109-16-0) | |
| LD50 oral rat | 10837 mg/kg Source: NLM, THOMSON |
| LD50 dermal | > 2000 mg/kg bodyweight (US EPA, 14 day(s), Mouse, Male, Experimental value, Skin, 14 day(s)) |
| Tetrahydrofurfuryl Methacrylate (2455-24-5) | |
| LD50 oral rat | ≈ 4000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 401 (Acute Oral Toxicity) |

Light Bond Filled Sealant with Fluoride

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Ethoxylated Bis A Dimethacrylate (41637-38-1) | |
|--|--|
| LD50 oral rat | > 2000 mg/kg Source: ECHA |
| LD50 dermal rat | > 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Read-across, Dermal, 15 day(s)) |
| Skin corrosion/irritation | : Causes skin irritation. |
| Additional information | : Causes skin irritation. |
| Triethylene Glycol Dimethacrylate (109-16-0) | |
| pH | 6.8 - 7.2 |
| Tetrahydrofurfuryl Methacrylate (2455-24-5) | |
| pH | No data available in the literature |
| Ethoxylated Bis A Dimethacrylate (41637-38-1) | |
| pH | 4.7 (< 0.01 %, 20 °C, OECD 105: Water Solubility) |
| Serious eye damage/irritation | : Causes serious eye irritation. |
| Triethylene Glycol Dimethacrylate (109-16-0) | |
| pH | 6.8 - 7.2 |
| Tetrahydrofurfuryl Methacrylate (2455-24-5) | |
| pH | No data available in the literature |
| Ethoxylated Bis A Dimethacrylate (41637-38-1) | |
| pH | 4.7 (< 0.01 %, 20 °C, OECD 105: Water Solubility) |
| Respiratory or skin sensitisation | : May cause an allergic skin reaction. |
| Germ cell mutagenicity | : Not classified |
| Carcinogenicity | : Not classified |
| Reproductive toxicity | : Not classified |
| STOT-single exposure | : May cause respiratory irritation. |
| Urethane Dimethacrylate (Proprietary) | |
| STOT-single exposure | May cause respiratory irritation. |
| BisGMA (1565-94-2) | |
| STOT-single exposure | May cause respiratory irritation. |
| Tetrahydrofurfuryl Methacrylate (2455-24-5) | |
| STOT-single exposure | May cause respiratory irritation. |
| STOT-repeated exposure | : Not classified |
| Triethylene Glycol Dimethacrylate (109-16-0) | |
| LOAEC (inhalation, rat, gas, 90 days) | 350 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study), Remarks on results: other: |
| NOAEL (oral, rat, 90 days) | 1000 mg/kg bodyweight Animal: rat, Guideline: OECD Guideline 422 (Combined Repeated Dose Toxicity Study with the Reproduction / Developmental Toxicity Screening Test) |
| NOAEC (inhalation, rat, gas, 90 days) | 100 ppm Animal: rat, Guideline: OECD Guideline 413 (Subchronic Inhalation Toxicity: 90-Day Study), Remarks on results: other: |
| Aspiration hazard | : Not classified |
| Tetrahydrofurfuryl Methacrylate (2455-24-5) | |
| Viscosity, kinematic | 2.74 mm ² /s (20 °C, OECD 114: Viscosity of Liquids) |

Light Bond Filled Sealant with Fluoride

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ethoxylated Bis A Dimethacrylate (41637-38-1)

| | |
|----------------------|-------------------------------------|
| Viscosity, kinematic | No data available in the literature |
|----------------------|-------------------------------------|

11.2. Information on other hazards

No additional information available

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment.

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

Triethylene Glycol Dimethacrylate (109-16-0)

| | |
|----------------------|---|
| LC50 - Fish [1] | 16.4 mg/l Test organisms (species): Danio rerio (previous name: Brachydanio rerio) |
| EC50 72h - Algae [1] | > 100 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| EC50 72h - Algae [2] | 72.8 mg/l Test organisms (species): Pseudokirchneriella subcapitata (previous names: Raphidocelis subcapitata, Selenastrum capricornutum) |
| ErC50 algae | > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static system, Fresh water, Experimental value, Nominal concentration) |
| LOEC (chronic) | 100 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| NOEC (chronic) | 32 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |

BisGMA (1565-94-2)

| | |
|-----------------|---------------------------|
| LC50 - Fish [1] | 0.537 mg/l Source: ECOSAR |
|-----------------|---------------------------|

Tetrahydrofurfuryl Methacrylate (2455-24-5)

| | |
|----------------------|---|
| LC50 - Fish [1] | 34.7 mg/l Test organisms (species): Pimephales promelas |
| LC50 - Fish [2] | 60.9 mg/l Test organisms (species): Pimephales promelas |
| EC50 - Crustacea [1] | 97.3 mg/l (Invertebrata, Fresh water) |
| EC50 72h - Algae [1] | > 100 mg/l Test organisms (species): Desmodesmus subspicatus (previous name: Scenedesmus subspicatus) |
| ErC50 algae | > 100 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration) |
| LOEC (chronic) | 97.3 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |
| NOEC (chronic) | 37.2 mg/l Test organisms (species): Daphnia magna Duration: '21 d' |

Ethoxylated Bis A Dimethacrylate (41637-38-1)

| | |
|----------------------|-------------------------|
| LC50 - Fish [1] | > 100 mg/l Source: ECAH |
| EC50 72h - Algae [1] | > 100 mg/l Source: ECAH |

12.2. Persistence and degradability

Light Bond Filled Sealant with Fluoride

| | |
|-------------------------------|------------------|
| Persistence and degradability | Not established. |
|-------------------------------|------------------|

Light Bond Filled Sealant with Fluoride

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Triethylene Glycol Dimethacrylate (109-16-0) | |
|--|---|
| Persistence and degradability | Readily biodegradable in water. |
| BisGMA (1565-94-2) | |
| Persistence and degradability | Biodegradability in water: no data available. |
| Tetrahydrofurfuryl Methacrylate (2455-24-5) | |
| Persistence and degradability | Readily biodegradable in water. |
| Ethoxylated Bis A Dimethacrylate (41637-38-1) | |
| Persistence and degradability | Not readily biodegradable in water. |
| Fluorinated Methacrylate Monomer (Proprietary) | |
| Persistence and degradability | Not established. |

12.3. Bioaccumulative potential

| Light Bond Filled Sealant with Fluoride | |
|---|---|
| Bioaccumulative potential | Not established. |
| Triethylene Glycol Dimethacrylate (109-16-0) | |
| Partition coefficient n-octanol/water (Log Pow) | 2.3 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method) |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |
| BisGMA (1565-94-2) | |
| Partition coefficient n-octanol/water (Log Pow) | 4.94 (Estimated value) |
| Bioaccumulative potential | No bioaccumulation data available. |
| Tetrahydrofurfuryl Methacrylate (2455-24-5) | |
| Partition coefficient n-octanol/water (Log Pow) | 1.76 (Experimental value, EU Method A.8: Partition Coefficient, 22.6 °C) |
| Bioaccumulative potential | Low potential for bioaccumulation (Log Kow < 4). |
| Ethoxylated Bis A Dimethacrylate (41637-38-1) | |
| Partition coefficient n-octanol/water (Log Pow) | 5.62 (Practical experience/observation, OECD 117: Partition Coefficient (n-octanol/water), HPLC method) |
| Bioaccumulative potential | High potential for bioaccumulation (Log Kow > 5). |
| Fluorinated Methacrylate Monomer (Proprietary) | |
| Bioaccumulative potential | Not established. |

12.4. Mobility in soil

| Triethylene Glycol Dimethacrylate (109-16-0) | |
|--|--|
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.89 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |
| Ecology - soil | Highly mobile in soil. |
| Tetrahydrofurfuryl Methacrylate (2455-24-5) | |
| Surface tension | No data available in the literature |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 1.402 - 1.765 (log Koc, SRC PCKOCWIN v2.0, Calculated value) |

Light Bond Filled Sealant with Fluoride

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

| Tetrahydrofurfuryl Methacrylate (2455-24-5) | |
|--|---|
| Ecology - soil | Highly mobile in soil. |
| Ethoxylated Bis A Dimethacrylate (41637-38-1) | |
| Surface tension | No data available in the literature |
| Organic Carbon Normalized Adsorption Coefficient (Log Koc) | 2.56 - 3.88 (log Koc, Calculated value) |
| Ecology - soil | Low potential for mobility in soil. |

12.5. Results of PBT and vPvB assessment

| Component | |
|---|---|
| Triethylene Glycol Dimethacrylate (109-16-0) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| Tetrahydrofurfuryl Methacrylate (2455-24-5) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |
| Ethoxylated Bis A Dimethacrylate (41637-38-1) | This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII |

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

14.1. UN number or ID number

Not regulated for transport

14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

Light Bond Filled Sealant with Fluoride

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

14.4. Packing group

Packing group (ADR) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

Packing group (ADN) : Not applicable

Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : No

Marine pollutant : No

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

No data available

Transport by sea

No data available

Air transport

No data available

Inland waterway transport

No data available

Rail transport

No data available

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Light Bond Filled Sealant with Fluoride

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

| Indication of changes | | | |
|-----------------------|---|----------|----------|
| Section | Changed item | Change | Comments |
| | Revision date | Modified | |
| | Supersedes version of | Modified | |
| 2.1 | Classification according to Regulation (EC) No. 1272/2008 [CLP] | Modified | |
| 2.2 | Precautionary statements (CLP) | Modified | |
| 2.2 | Hazard statements (CLP) | Modified | |
| 4 | First-aid measures general | Modified | |
| 4.2 | Symptoms/effects after skin contact | Modified | |
| 5.1 | Suitable extinguishing media | Modified | |
| 5.3 | Protection during firefighting | Modified | |
| 6 | General measures | Modified | |
| 6.2 | Environmental precautions | Modified | |
| 6.3 | Methods for cleaning up | Modified | |
| 7 | Hygiene measures | Modified | |
| 7.2 | Storage conditions | Modified | |
| 8.2 | Hand protection | Modified | |
| 10.2 | Chemical stability | Modified | |
| 10.4 | Conditions to avoid | Modified | |
| 10.6 | Hazardous decomposition products | Modified | |
| 13.1 | Product/Packaging disposal recommendations | Modified | |

Full text of H- and EUH-statements:

| | |
|-----------------------|---|
| Acute Tox. 1 (Dermal) | Acute toxicity (dermal), Category 1 |
| Aquatic Chronic 4 | Hazardous to the aquatic environment - Chronic Hazard, Category 4 |
| Eye Irrit. 2 | Serious eye damage/eye irritation, Category 2 |
| H310 | Fatal in contact with skin. |

Light Bond Filled Sealant with Fluoride

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:

| | |
|---------------|--|
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H413 | May cause long lasting harmful effects to aquatic life. |
| Skin Corr. 1A | Skin corrosion/irritation, Category 1, Sub-Category 1A |
| Skin Irrit. 2 | Skin corrosion/irritation, Category 2 |
| Skin Sens. 1 | Skin sensitisation, Category 1 |
| Skin Sens. 1B | Skin sensitisation, category 1B |
| STOT SE 3 | Specific target organ toxicity - Single exposure, Category 3, Respiratory tract irritation |

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.